

A Weekly FAX from the Center for Substance Abuse Research

University of Maryland at College Park

Over One-Third of National AIDS Cases Reported in 1994 Associated with Drug Use

According to the Centers for Disease Control and Prevention, over one-third (36%) of the 80,691 new AIDS cases reported in 1994 were associated with injection drug use (IDU). The majority of the IDU-related AIDS cases were among heterosexuals, which makes injection drug use the most prevalent mode of exposure among heterosexuals. Reported AIDS cases in the Washington, D.C. Metropolitan area show similar patterns (see CESAR FAX, Volume 3, Issue 48).

Number of AIDS Cases Reported in 1994, by Mode of Exposure, United States

Mode of Exposure	Number	Percent
Men Having Sex with Men	34,974	43%
Injection Drug Use 1		
By Homosexuals	3,853	5% 1 369/
By Heterosexuals	25,086	$\frac{5\%}{31\%}$ $\}$ 36%
Undetermined Risk	9,578	12%
Heterosexual Contact	5,348	7%
Other ²	1,768	2%
Total	80,691	100%

¹Includes having sexual relations with an injection drug user.

SOURCE: Adapted by CESAR from data from the Centers for Disease Control and Prevention, HIV/AIDS Surveillance Report, Volume 6, Number 2.

HAVE YOU CALLED THE CESAR BOARD LATELY?

CESAR's electronic bulletin board, CESAR BOARD, is a free public service which provides substance abuse information on a wide range of topics, including treatment, prevention, and drugs in the workplace. CESAR BOARD is accessible, 24 hours a day, via:

- Modem: 301-403-8343 or 1-800-84-CESAR (for Maryland callers only)
- World Wide Web: http://www.inform.umd.edu/EdRes/Colleges/BSOS/Depts/Cesar
- Internet: inform.umd.edu (select Educational Resources, then Colleges, then BSOS, then Departments, then CESAR)

²"Other" includes non-IDU perinatal transmission, hemophilia/coagulation disorder, and receipt of blood transfusion, blood components, or tissue.